MISSOURI BOTANICAL GARDEN

PETER H. RAVEN LIBRARY



GEORGE ENGELMANN BOTANICAL NOTEBOOKS

Pagination Note:
Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

abnormis (Cer) Sweet
——— (Cact) Willd. en. suppl. 31 = peruvi. monstros. fide DC. Pr. 464
~~S.46~~ S.46

Acanthion (E) ~~Hort. Dar~~ Salm. ... C. Heath. H. Dud ?
S.31. 161 Lab. 225 (F 292) = ex sculptura Lab.) fide Pf. 65

acanthocarpa (O) E & B in C.W. 51. t. XVIII 1–3. XXIV. 11.
Syn 52 W. A. V 56

acanthodes (E) Lem. Cact. mon. p.106 (1838?) W. A. II. 318 (Californica?)
Lab. 194 F. 288

acanthodes (E) Lem. Cact. gen. nov. p. 106. Lab. 194 ?

acanthophlegma (M) Lehm. Delect. Sem. Hamb. 1833. Pf. 26. Mexico
Pfr. Enum. p. 26. W.A.II. 289 S.H.D. 86 Fst. 193 Jacq. pl. n III. 105 S.9. 86

acanthostephes (M) Lehm. in Gartztg. 1835 p. 228 Pf. 16 W.A.II. 286 Mexico
S.H.D. 136 Pfr. 16. F. 250 S.20. 136

acardia (Peir) Parm. = aculeata fide Steud.
Pf. 176

acicularis (M.) Lemaire Cact. gen. (1839) p. 34. Lab. p. 53. W.A.II. 300 F. 802 ?

aciculata (M) Otto .. ex Pf. 29. W A II. 290 & A.G.J. 1848 p.201 = polythele var. F. 215 Mexico
S. 15

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved MISSOURI BOTANICAL GARDEN

14765

MISSOURI
GEORGE ENG

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

aciculatus (E) Salm H. D. 1834 p. 341 – Pf. 51 – W A II. 310 / Dc ex Sd Brasil
Malacor. S. 25 ~~Pf. 51~~ Lab. 172 (Foerst. ~~5x8~~ 341)

(acifas (Ech) Eng = 116
acida Op velow 445

acifer (E) Hopfr. = ? Wippermanni Muhlpf. S. 31
~~S. 31~~ (Foerst. 315 8 520 / Lab. 226

acifer (Cer) Otto nom ap F. 433 [Mex
S. 42. 189 Lab. 315

acinaciformis (C) Hort. Ber = cinerascens fide Pfeiff & Lab.

aciniformis Cer H. Berol = C. cinerascens par errorem fide Pf. 101

Ackermanni (Cer) Hort. Berol ex = (Epiphyllum Ackerm. Haw. the oldest name! Phil Mag (1829 August) ~~[illegible]~~ Bot. reg. t. 1331 / Mexico
~~Lab~~ Lab. 409 (Pf. 123) = Phyllor. Ack. Salm. 55 Bot. Mag. 3598 F. 437

Ackermanni (Phyll) (Haw synops. ? ?) Link mss fid. W A II. 341 Bot. Mag t. 3598
S. 55 Lab. 410 F. 437 Bot. reg. t. 1331

TANICAL GARDEN
ENGELMANN PAPERS

acroracanthus (Ech) Stieber, B. Z. V. (1847) 491. W A I. 334 m

acromelas (Cer) (H. Berol (Fam. Cact.) 1833 = C. crenulatus Salm fid Pf. 84

actinoplea (M) Ehr. B. Z. 1848. 266 W A II. 673 mx

acuatus (E) Link & Otto Diss (1827) p. 15 t. 23 (V. d. G. B. V. III. 424) DC Pr III. 463 Montevideo
(malacor) S. 25 Pf. 54 W A II. 311 Foerst. 344 B. spinosior Lem ... = E. Courantii F. 337

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
Missouri
Botanical
Garden

aculeata (Pesk) Mill. Dict. Haw syn 198 Plum gen t. 26
Plum. gen nov. 37. Ind occ.
S. 76 Bot. Mag. t. 1928 Pf. 175. W A II 355 Lab. 503 F. 512

aculeatus (Cer) H. Berol. nom. ap. F. 433

aculeatissimus (Cact) Zeyher nom. ap. DC. Pr. III. 476

acutangulus (E) Zucc .... = corynodes fide ~~St. Lab~~ Pf. 55.
S. 25 ~~Lab.~~ 169 ~~F. 338~~

acutangulus (Cer) Hort. Ber. ex ... W A II. 334 Mexico
(E) S. 49 (Pf. 107) Foerst. 406 Lab. 345

acutifrons (Phyll) autor? nom ap. F. 341

acutissimus (E) ~~Hort. Berol.~~ Link & Otto A.G.J. 1835 p. 353. Chili
S. 33 Pf. 64 Lab. 241 Pf. Abb. t. 20. W A II. 314 F. 294
acutissimus H. Hamb. = exsculptus F. 292
Gay H. Chil. III p. ..

adunca (M) Scheidw. in litt. = uncinata Zucc. fide Salm p. 16

adustus (Echinoc.) Eng. Wisl. Rep. 1848 note 29. W. A III. 869 Chihuahua
Eng. N. Mex. p. 50 note
(Cer) S. 42. 191 Lab. 319 Syn. 24 W A. 43.

adversispinus (E) Muhlenpf. A.G.J. 1848. 10 W A II. 182 Mex.

Aquicaulensis (C) Hort = geometrizans [illegible] Mart. fide ~~Hend~~ Pf. 90

aeruginosa (M) Scheidw. A.G.J. 1840 p. 338 = villifera var. fide Salm p. 16 W. A II. 298
= Karwinskiana var fide F. 224

Aethiops (Cer) Haw Phil. Mag. 1830 p. 109 =? coerulescens fide Hend & Salm Pf. 85
S. 45 ~~Lab. 334~~

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved MISSOURI BOTANICAL GARDEN

14766

MISSOURI BOTANIC
GEORGE ENGELMA

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

affinis (C) H. Berol (nom. in V. d. Go V. VI. 432 (1830) Brasil) = virens DC fide Lab. 359 F. 387
affinis (C) Hort = variabilis fide Lab. ~~359~~ 376
H. Berol = virens DC. fid. Pf. 99

affinis (M) DC. Mem. p. 11. t. 6 (1834) Pf. 11. W. R. II. 285 Mexico
Lab. 52. Pf. 11 F. 215 S. 15
(Cer) H. Berol

agglomeratus (Echo) Karw. Jour. pl. n. III. p. 126.

agglomeratus (Mel, E) ~~Mel~~ Hort Karw. = E. spinalis fide Pf. St. Lab. = E. robustus fide Lab. robustus var. fide Pf. 61

aggregata (M) Eng in Emory Rep. 1848 p. 155. fig. 1. = Cer. sp. (enneacanthus ?) N. Mex.

BOTANICAL GARDEN
ENGELMANN PAPERS

Alacriportanus (Cer) Hort. Monac. ex. Pf. 87 W. R. II. 329 Brasil
S. 47 ~~Pf. 388~~ Lab. 357 Foerst. 388

alatus (Cact) Swartz Fl. Ind. Occ. 2. 878. (1800
(Epiph) Haw. suppl. 84 1819 (? Pf)
(Cer) DC. Pr. III. 470 = Rhips. Swartziana Pf. enum. 131. Jamaica

alatus (Cact) Willd. en. suppl. 35 (1813) Coll. Hort. Ripl. t. 20 (non Swartz) = Cer. phyllanthoides DC III. 470

alatum (Epi) Haw. suppl. 84 (1819) = Rh. pachyptera fid. Pf. 132 (~~= Rh. Swartziana Pf. 131~~)
= Cact. Bot. mag. t. 2820

alatus (C) Link & Otto Icon. t. 39 = Rhipsalis pachyptera fide ~~Steud~~ Pf. 132 (Cact. alat. Bot. Mag. t. 2820)

albatus (E) Muhlenpf. A. G. Z. 1846 p. 170 ~~A. Dietr. fide~~ W. R. II. 337 Mx
S. 31. 162 Lab. 226

albicans (O) Salm H. D. 1834. p. 361 W. R. II. 349 Mexico
S. 67. 237 (Pf. 155) Foerst. 486 Lab. 664

albida (M) Haage ~~Cat. Cat. 1836.~~ ex. Pf. 28 W. R. II. 289 Mexico
~~Pf. 28.~~ Lab. 40 = discolor Haw. var fide S. 11.

albiflorus (C) hybris Pfeif fid. Lab. 400.

albisetosus (C) Haw ~~revis~~ (1821) p. 77. DC. Pr. III. 468 Pf. 115. W.A. II. 336 Haiti
(Cactus) Spreng (suppl ? 1819 s. Pf.)

albispinus (Cer) Salm obs bot 1822. n. 5. DC. Pr. III. 465. Pf. 85. Am. austr.
W.A. II, 328 F. 382
S. 45 Lab. 341

alfagayucca (O) Haw. = amyclaea fide Salm 68 fide Lab. 468
= albicans fide Lab 463
T. 68

Allardtianus (Ech) A Dietr. G.Z. 1847. 178 W.A. I. 324 Mx

aloides (M) Monv. Cat. 1846 = Anhalonium prism. fide Lab. 152 Mexico

alpina (M). Mart. Act. Acad. Mon. f. Oaxaca, Mex.
Lab. 26. (S. r. 79)

alpina (O) Gillies = Tuberosa fide Pf. 146.
& S. 72

Altensteinii (Ep) Pfr. en. 1837 p. 128. W.A. II. 342 Pf. A. I. 28 Brasil
S. 57. 225 var of E. truncatum. F. 445

alteolens (Disc) Lem. Hort. univ. Lem. in G.Z. 1846. 202. W.A. I. 335 ?
S. 24. 140 Lab. 166

alternata (Harriotia) Lem. Hortic. univ. t. 50 = Rh. paradoxa S.
& S. 60. fide F. 453

amabilis (M) C. Ehr G.Z. 1849 326 W.A. II. 679 Mx

ambiguus (Cact Bonpl. descr. pl. rar. cult. Malmaison & Navarre (1813) ?
Cer. DC. Pr. III. 467 (S. 44 Pf. 104 W.A. II. 334) Lab 56

~~ambiguus (Cer) DC.~~ & repandus Haw f. S. 44
~~(Cactus) Bonpl.~~

ambiguus (Mil) Hort = Cer leucanthus Pf. 71 .. = Eps campylacantha Pf. fide
F. 369

ambiguus elegans (E) Hort = Echinopsis campylacantha Pfr.
fide Lab. 305

ambigua (M) G. Don (St.) } Chili
—— (Cact) Gill (non Bonpl.). }

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI BOTANICAL GARDEN

14767

MISSOURI BOTAN
GEORGE ENGELM

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI BOTANICAL GARDEN

amblygonus (C) Sweet Am. aust.

amoenus (Melo) Hoffmansegg . . ex . . Pf. 43 . Miq. Mel. 145 Columbia
F. 263 S. 21 W.A.II. 306

amoena (Cps) ~~Scheidw.~~ ~ G.J. 1844. 187. W.A.III. 818 Mx
Dietr. ibid! f. E.
(S. 58. 180 Ar. Ehrenbr. am. G. G.J. 1855. 338. E. amoena Dietr. = pulchella var. f. 87

amoena (M) Hpfr ?
(S. 12. 99.) Lab 47

Amyclaea (O) Tenore Flor. Nap. app. 5. (1826) p. 15 (fide DC.) DC. Pr. III. 474 Ten. Syllog. p. 240 (1831 Italia
(S. 68. 240 Of. 159 W.A.II. 350 Foerst. 485) Lab. 456 Guss. Fl. Sic. I. 550 (1842

BOTANICAL GARDEN
ENGELMANN PAPERS

anancistria (M) Lem. Cact. 1839 p. 39 . W.A.II. 296 = decipiens Scheidw. fid. S. 7

ancistracantha (M) Lem. Cact. 36 gen. W.A.II. 295 = raphidacantha Lem. fide S. 19.

ancistrata (M) Pf. fide Salm (1844) p.

ancistrina (M) Hort. Pfr. = ancistroides Lem fid S. 10.

ancistroides (M) Lehman delect. sem. Hamb. 1832 glochidiata fide ~~Steud.~~ Mart Of. 36.

ancistroides (M) Lem. Cact. ~~Hamb. 1832~~ 38 . S. 10. 90 . Lab. 31 F. 211 = ~~glochidiat.~~ W.A.II. 296 ?

Anconianus (E) Hort. Sweet. Havana

ancylacanthus (E) Monv. Cat = uncinatus fide Lab. 201

andicola (O) H. Angl. ex p. W.A.II. 246 Guy Fl. Chil. III. andicola = fulvispina Lem = longispina Haw. ~~Chili~~ Mendoza
S. 70 (Pf. 145) Foerst. 467. Lab. 482 ~~Foerst.~~ 468

andicola (O) Hort = glomerata minor (fide S. 71)

Andreae (M) Otto . . . . . = rhodantha var. fide ~~Steud.~~ Of. 31.

anfractuosus (E) Mart. ex Pf. Nov. pl. n. III. 128 W.A.II. 313 Mexico
S. 31. 159. (Pf. 63) Foerst. 306 Lab. 220

anguinea (M) Otto *
(S. 12. 101. Lab. 69 . Monv. ap. Foerst. 241 . Mexico

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

angularis (M) ~~Otto~~, Hort Berol (nom = V. d. GDV VII. 430 (1830) Mexico
(nom = DC. Cat. III. 450)
Pf. 12 Foerst. 233 S. 18. 125 W. R. II. 285

angularis (Phyll) Lem. Hort univ. = anguliger Lem ?
vide Lab. [illegible] p. 67

anguliger (Phyll) Lem. Jard. fleur. ~~Tab.~~ Liv. 21., 1851 fide Labour. Mexico mer.
Fiedl. & Bert. fl. gen. p. 177. t. 34. W.A. II. 685 (cites Lem. J. fl. I. 6
Lab. 410

angustata (O) E. & B. = C.W. p. 39 t. VII. f. 3–4 & t. XXII f. 11. Syn. 36 W.A. V. 50 N. Mex

anisacantha (M) Hort. = subpolyedra fide Pf. 17 = polyedra fide S. 17
—— Monv. Cact. = polyedra var. fide Lab. 105
—— Hort = subpolyedra fide Lab. 103. & Steud.

anisacanthus (C) DC. Rev. 1829. p. 116 Pf. 96. W.A. II. 331 = gemmatus ? Pf. Cat. 96. Mexico

anisogonus (Cer) H. Angl. nom ap. F. 424
(S. 52 = triangularis fide)

Antoini (C) H. Vindob. = nycticalus fide Pf. 114.

aoracantha (O) Lem. (Hort. Monv. 1838 p. 24) W.A. II. 754 ?
S. 71. 246 Foerst. 469 Lab. 485

applanata (M) Engelm Bost. J. N. H. 1850 VI. 198 (Pl. Lindh. II) Texas & N. Mex.
S. 14. 109. Lab 84. = M. Heyderi var. fide Eng. Syn. p.

arachnoideus (E) Scheidw. Bull. Brux. VI. 2. p. 4 W.A. II. 323. Mex

araneifera (E) Lem. Hort univ = Odieri var fide Lab. 218

araneolarius (Ech) Reichb. = Tersch. Suppl p. 2. W.A. II. 317 Montevi.

arborea (O) Steud. Nom. 220 Cact. arboreus Arrab. Brasil.

arborescens (O) Eng. Wisl. Rep. 1848 note 5. W.A. III. 896 Eng. Em. Rep. 1848 p. 157 f. 10 N. Mex
= stellata S. fide S.
S. 73. 250. Lab. 492 Eg. = N. Fendl. 52
Pl. Lindh. II. p. 208

arborescens (O) E. .. = E. & B. = C.W. 51 t. XVII. f. 5–6. XVIII. 4 XXIV. f. 12
E. = C.B. 58. t. 77. f. 16–17 Syn. 51. W.A. V. 56 = rosea & imbricata fide E. C.B. p. 77

14768

MISSOURI BOTANICAL
GEORGE ENGELMANN

arbuscula (O) E. = CB. 60 t. Syn 53. W. A V. 57 Ariz.

arcuatus (C) Hort. Suecl. ?

arenaria (O) E. = CB. 52 (t. 75 f. 15 &77) Syn 45 W A V 53 N. Mex

Arequipensis (C) Meyen Reise. II. 41 (1834) Pf. 89. W A II. 329 F. 390 Peru

argentea (M) Fennel G. J. 1847. 65 W. A. I. 330 ?

ANICAL GARDEN
LMANN PAPERS

arietina (M) Lem. Cact H. Monv. 1838. = magnimamma var fide F. 235 & S. 17

armatissimus (Ech) Trent. in Haage Cat. 1860 p. 7. Peru - Columbia

armatus (Cer) Otto. Cx. Pf. 81. W A II. 326. St. Thomas
& f. S. 46 = Royeni armatus H. Berol = C. Royeni Haw F. 383

armatus (E) Salm H. D. p. 341 Pf. 61. W. A II. 313 ~~Steud. 536~~ ? ?
= Mel. ferox Pf. fide F. 519

Arrabidae (C.) Steud. nom. 333. Brasil
Cactus triqueter Arrab.

arrectus Otto (E) = arrigens var fide Lab.
Först. 346 Lab. 225

arrigens (E) Link & Otto ex A. Dietr. in G. J. 1840. 161 W A II. 318 Mexico
S. 31. 161 Pf. Abb. II t. 27 Lab. 225 F. 313

arrigens (E) Dietr A. G. J. 1840 p. 161 = arrigens Link var. fide Lab.

articulatus (Cer) Pfeiff. enum. 103 W. A II. 333 = Opuntia Turpinii Lem. Chile
(O) H. Berol. Otto G. J. 1833 p. . . no 46. = Cer Pf. 103 fide Salm 71 Mendoza
~~F. 81~~

articulata (O) Hort Berol. = Cereus artic. fide Steud.
Otto A. G. J. 1833. = Op. Turpinii fide Lab. & O. polymorpha H. Angl fide F. 472

asellifera (M) H. Monv. Cat 1846 = Pelecyphora aselliformis fide Lem. 149

aselliformis (P) Ehrenb. in Bot. Zeitg. I. 737 (1843) W. A II. 822 Mexico
S. 5. 78. Lab. 148. Först 257 (= Mamillaria Jesse . . . .)

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
Missouri
Botanical
Garden

assurgens Wright (Cereus) Cuba in Griseb. Catal.

Asterias (E) Karw. msc. ap Zucc. (Abh. Ac. Mon. 1845. vol. IV) p. 13. t. 3. W. A. I. 974 Mexico
Pl. nov. fasc. V in
S. 29. 155 Lab. 206

Asterias (M) Cels. Cat. ex
S. 19. 129. Lab. 132 ?

ast
asteriflora (M) Cels (nom ap F. 254) Lab. 34 ?

asteriflora (M) Hort. & Monv. Cat. 1846 = Asterias fide Lab. 132

atrata (M) Hort. Mack ex Hook Bot Mag. t. 3642 W. A. II. 295. ad rhodanthe?? Chili
Gay H. Chil III p...

atrata (M) Hort. atrata (M) Hort. Berol [apud DC. pr. 460 nomen solum] = rhodantha fide Pf. 31 Lab. 45

atrorubra (M) Ehrb. G. Z. 1849 220. W. A. II 679 Mx

atrosanguinea (M) C. Ehrenb. G. Z. 1849. 270. W. A. II 677 Mx

atrosanguineus (Mel) H. Berol. ex. Pf. 44. Miq. Mel. 162 (1841) St Thomas
W. A. II. 307 F. 265
1843 1846

atrovirens (Mel) H. Berol nom ap F. 279

atrovirens (Cer) H. Berol. nom ap F. 433

Auberi (O) Pfr. Allg. G. Z. 1840 p. 282 W. A. II. 354 Cuba
L. Nopalea Allg. 74. 233 Lab. 450 F. 494

aulacogonus (E) Lem. Cact. n. g. 1839 p. 14 W. A. II. 316 F. 322 ?
S. 27. 148 Lab. 190 = pugens fide Walp.

aulacothele (M) Lem. H. Mon. 1838. p. 8 = W. A. II. 302 F. 244 macrothele Mart fide S. 19.

aulacothele (M) var multispina Scheidw. Bull. Ac. Brux. VI. 2. W. A. II. 302
" var sulcimamma Pfeiff G. Z. VI. 274. W. A. II. 302

aurantiaca (O) Gillies in Lindl. in Bot Reg. t. 1606. Allg. G. Z. 1833 p. 349 Chili
S. 70 Pf. 147 W. A. II. 347 Foerst. 476 Lab. 479

aurantiaca (C) hybr. Haage Lab. 400

auratus (E) Pfeiff. B. Z. V. (1847) 373 W. A. I. 333 in Abh. II. nro 14 note & Chili
(Gy) S. 39. Lab. 303

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI
BOTANICAL
GARDEN

14769

MISSOURI BOTANIC
GEORGE ENGELMA

copyright reserved
MISSOURI
BOTANICAL
GARDEN

aurata (M) Hort. = rhodantha fide Pf. 71 Lab. 45
aurata M. H. Berol. [apud DC. Pr. III. 460 nomen solum]

aurata (Eps) Salm. (Ech. aureus Pf.) Abb. 2. t. 14 . . .
S. 39. 182

aurea (~~Mam~~) Hort. Dfr. = rhodanthe var. Pf. 198 Lab. 46.

aureus (Cer) Salm. ~~Hort~~ ap. DC. Pr. III. 465 Pf. 83. W R II. 328 ?
S. 46 Pf. 83 Foerst. 385 Lab. 348
— β. pallidior. Hort Dyck . . . . . = C. Celsianus Salm fide Pf. 84

aureus (Cact.) Meyen Reise um die Welt I. 447. (1834) A. G. Z. 1833. p. 211
(Echin.? ~~Pf.~~) Pf. 68 W R II. 315 Peru

~~aureus (E) Meyen ex Pfeif. 68 W R II. 315~~ ~~Stand. 536.~~ Peru

aureiceps (M) Lem. ~~Cat.~~ H. Mon. 1838. p. 8 rhodantha var. S. 11
= Pfeifferi Booth fide F. 199 W. R. II. 300

auricoma (M) A. Dietr. in A. G. Z. 1846. 308 W R I. 232 M. ×

auricoma (M) Ehr. A. G. Z. 1849. 295 M ×

auricoma (M) Ehrenb. = Hermanni var S. 8

auriculata (M) Hort.

aurorea (M) C. Ehrenb. A. G. Z. 1849 303 W R II. 678 M x

autumnalis (M) Dietr. A. G. Z. 1848 p. 297. ?
S. 16. 119 Lab. 107 var of mutabilis? S. 119

azureus (C) Parm. cat. ex Pf.) W R II. 328 Brazil
S. 45 Pf. 86. Foerst. 381 Lab. 340

BOTANICAL GARDEN
ENGELMANN PAPERS

badispina (M) Foerst. = Hort. Haage 1860 p. 2 ?

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
Missouri
Botanical
Garden

barbata (M) Eng. Wisl. Rep. (1848) not. 34   W. A. III. 894   Chihuahua
S. 7. 82 E. : C. B. t. 6 f. 9–12 Syn. 5 W. A. V. 34

barbatus (Cer) Willd. = C. floccosus H. Ber. f. F. 383
— — H. Berol. nomen ap. F. 333

basilaris (O) E & B. : C. W. 43. t. XIII. f. 1–5. XXIII f. 14 E. : C. B. 52
Syn. 42. W. A. V. 52

Baumanni (Cer) H. Paris ~~(nomen ap. F. 409)~~ S. 50. 214 ?
— — (Mühlenpf. : A. G. Z. 1848 p. 11)

Baxaniensis (Cer) Karw. ~~ex.~~ . . Pf. 109. W. A. II. 335 ?
Baxanus (Cer) Karw. Jur. pl. n. III. 134) F. 406 S. 49 Cuba

bellatula (M) Bent. G. J. 1847. 50 W. A. I. 330 Mx

Beneckei (M) C. Ehrenb. B. Z. II. 833. G. J. 1844. 401. W. A. III. 811 F. 210 Mx
— — ?? Goodridgii Scheer fide S. 10. = (cant be)

Beneckei (Cer) C. Ehrenb. : B. Z. II. 835. S. : G. J. 1845 p. 355. W. A. III. 819 Mx
(f. F. 396 = C. farinosus)] S. 48. 209 Linnaea 19. 341. 347 1847

Bergenii (M) Chb. G. J. 1849. 226. W. A. II. 679 Mex ?

Bergii (M) Miq. Comm. phyt. III. (1840) p. 104 W. A. II. 293 = ~~[illegible]~~ Mex

Bertinii, Cels (Echinocereus) Patagonia

Berlandieri (C) E. : C. B. 38 t. 58 & p. 76 Syn. 30 W. A. V. 46 Tex
Berteri (Ech) Colla ex Gay Fl. Chil. III p.
Besleri (Mel) Link & Otto diss. 1827 p. 11 t. 21 (Ver. III. 420) Pf. 41. Miq. Mel. 131. 1839 t. 4. f. 2. Brasil
= Discocact. Linkii Pfeiff (1837) N. Act. XIX etc fide Pf.) W. A. II. 305

Besleri affinis (Mel) Hort = Ech. spiralis fid. Pf. 60.

bicolor (M) Lehm. Delect. Sem. Hamb. 1830. Linnaea. VI. Litt. p. 11
Pf. 27. W. A. II. 289. F. 197 (S. 9. 89 Pf. Ab. I. t. 3) Mex
Syn. 5 W. A. 35

bicolor (E) Galeotti mss (nom ap. F. 288) (S. 35. 173 Pf. Ab. II. 25) Mx
var. Schottii E : C. B. 27 Syn. 21 W. A. V. 41

bicolor (Cact) Berlandier : Memorias de la Comision, Matam. 1832 = Ech. setispinus

biformis (Cer) Hort = C. radicans DC fid Pf. 114

biformis (Cer.) Lindl. Bot. Reg. XVI. pl. misc. 66. 1843 (Phyllocact) Lab. 418 Hondur
(Disocact) Lindl. Bot. reg. XVIII. t. 9. W. A. II. 817) F. 112 S. 57. 22

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

14770

MISSOURI BOTANICAL GA
GEORGE ENGELMANN PA

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

bifrons (Cer) Haw suppl. 76 = Cer. speciosissimus Desf. per DeCr.
= ?? C. coccineus Salm fide Pf. 122 S. 53.

bifurca (M) A. Dietr. = G.Z. 1850. 188. W.A. II. 680 Mx

Bigelovii (O) E. = C.W. 50. t. XIX. — — Syn. 51 W.A. V. 56 n Mx

biglandulosa (M) Pf. = G.Z. 1838. p. 274 W.A. II. 302. F. 245. 518 Mx
= M. Clava var. f. S. 19.

bihamata (M) Ott. non ap F. 254

Bihamata (M) Pf. = G.Z. 1838. p. 274 W.A. II. 298 = uncinata var fid F. 223 & S. 16 Mx

binops (M) Haage non ap F. 254

Blankii (C) Poselg. G.Z. 1853. 134 Camargo Mx.

Bleo (Cact. Peresk.) HBK. n.g. sp. VI. 69 (1823) Kunth Syn. III. 372 Mex. to N. Granada
(P) DC. Pr. III. 475 Pf. 176. W.A. II. 356 F. 514 (F. 76 Pf. Ab. I. t. 30
— ? cact. Torrey Ann. Lyc. N.Y. II p. 202 = O. arborescens (Bot. reg. t. 1473. Bot. Mag. t. 3478)

Borasana (M) Poselg. G.Z. 1853. p. 94 Mx
Bockii (M) Foerst. G.Z. 1847. 50. W.A. I. 330 Mx

Boeckmannii (Cer) Otto (non ap F. 418.) S. 51. 217 ?

Boliviana (O) S. = G.Z. 1845. p. 388. W.A. II. 821 S. 71. 245 Bolivia

Bolivianus (Ech) Pfeiff. Abb. II. no 14. note Bot. J. V. 1847. 374. W.A. I. 333 = echinoides fid Pf. abb. II. 29 Bolivia

Bonariensis (Cer) Hort. = C. Alacriportanus f. F. 388

Bonplandii (Cact. Opuntia) HBK. n.g. sp. VI. 69 (1823) Kunth Syn. III. 372 Guat.
= O. Tuna fide DC. Pr. III. 472 & S. 66.

Bonplandii (Cer) Parm. ex. Pf. 108 W.A. II. 335 Brasil.
F. 404 S. 48

CAL GARDEN
ANN PAPERS

Bonplandii (O) Mittl. = O. Tuna fid F. 491
— Hort. = O. Tuna laevior. fide S. & F. 492

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Buekii (Sch) Klein ex Regel Gartenflor. 8 p. 257 t. 266 (1859)

Boutillieri (Echin) Parm. = Cer. Schelhasii fide Pf. 73.
Epi f. S. 68

Bowtrianus (C) . . . C. ~~spec~~iosiss. var. [illegible]. S. 53

brachiata (Rh) Hook bot mag t. 4039. (1843) = [illegible] fide W A II. 936. & S. 61 Bonaria

brachiatus (C) Galeotti . . . . f. S. 44. 195 Mx

brachyanthus (O) E a B = C W 47 t. XII. f. 9. Syn. 46 W A. V. 54 n. Mx

brachycentrus (E) S. 31, 160 ?

Bradypus (Cact.) Lehm ind sem H Hamb 1826 p. 17 = C. senilis fide DC Prod
— Act. N Cur. 1837. p. 315. t. 12

Brandii (C) H Angl = variabilis var f. S. 49

Brasiliensis (Cact.) Willd. en. sup. 33 (1813) Bras
Haw suppl. p. 79 (C) DC. Pr. III. 474 DC. Rev. 73. Pf. 168. W A II. 352
Bot mag. t. 3293
F. 499 S. 74 Pf. Ab. II. 29

brasiliensis (Peir) H. Hamb = P. aculeata var lanceolata fide Pf 176
brevibarbe Lepismium
breviflora (Eulychnia) Philippi Flor Atacam 1860 p. 23 t. II. A.

brevihamatus (E) E in C B. 19 t. 18 & 19 (probably = Scheerii S. [illegible]) Tex
Syn. 15 W A V. 38

brevimamma (M) Zucc. . ex — Pf. 34. W A II. 291 Mx
F. 247 S. 19. 130

breviseta (M) Chab. G. J. 1849 251. W A II. 676 Mx

brevispinulus (Cer) Salm in Ind. pl. succ. 1834. p. 24 = nycticalus

Bridgesii (E) Pf. Abb. II. 14. S. 26. 144 Bolivia

Bridgesii (Eps) S. 28. 181 Bolivia

Bridgesii (C) S. 48. 208 Bolivia

Brongniartii (Mel) Lem. H. Monv. 1838. p. 12 Miq. Mel. 148 ?
W A. II. 306 F. 262

Brongniartii (M) H. Paris = microthele f. f. S. 9
(Melocact) sine auctor sp. mort in H. Paris

bulbispina (O) E in C B. 55. t. 73. f. 5-6 Syn. 48. W A V. 55 Mx

bulbosa (O) E. [illegible] = C. fusiformis fid. Syn. 41

bumamma (M) Chab. G. J. 1849. 243. = elephantidens var. fide Linke G J. 1850 p. 91 & S. 20 Mx

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

14701

MISSOURI BOTANICAL
GEORGE ENGELMANN

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI
BOTANICAL
GARDEN

Cachetianus (E) Cels = E. setispinus ex Salm. 29

caesia (M) Ehr. B.Z. 1849. 251 = spinosissima var δ brunnea S. 8 Mex

caesius (Cer) Salm. ex [Pf. 89. W.A.II. 329] F. 394 S. 47. 205. ?
— — Pf = Jamacaru fide Salm = F. 400 & S. 48

caesius (Mel) H. L. Wendland ex Miq. Mel (1841) 184. W.A.II. 308 F. 263 Columbia

caespititia (M) DC. Rev. (1829) p. 112 Pf. 35 W.A.II. 291 Cult. Mex
F. 204 S. 10. 90

caespititia (M) Hort. = multiceps S. f. S. 7

caespititius (E) Pf. = ubi? horripilus Lem. f. F. 283 S. 35

caespitosa (M) H. Berol. [apud DC. Pr. 460] nomen solum] = echinata var densa
F. 239

caespitosa (Op) Raf. Atlantic Journ. (1832) Nro 4 p. 147. = O. Rafin. Kentuck. Alab.
Pf. 146 (erroneously Nutt) W.A.II. 347
— Op. Poeppig in Herb. plur.

caespitosus (Cer) Eng. in Bost. Journ. N.H. 1845. V. 247. (Pl. Lindh. I. p. 39) Texas
Fl. Fendl. p. 50 note
and ibid 1850 VI. 202 (Pl. L. II)
— (Echinocer) Eng. Wisl. Rep. 1848 no. 45 W.A.III. 896
S. 42. 191 E. in C.W. p. 32
S. 24 W.A. V. 43. E. in C.B. p. 32 t. 43 & 44
callaina in Stirb. [illegible] 1852. 47

calamiformis (Rh.) Hort. = Rh. funalis Salm fide Pf. 135

calamiformis (Rh.) Hort. — Miq. Bull. Neerl. 1838 p. 49. = Rh. funalis

calandriniaefolia (P) H. Berol. = [P. Pititache Karw. f. F. 571
S. 76. 252

calcarata (M) Eng. in Bost. Journ. N.H. 1850 VI. p. 195 (Pl. Lindh. II). Texas
S. 20. 131 E. in C.B. 14 t. 74. f. 1 Syn. 11. W.A. V. 37

Californica (O) Eng. Emory Rep. 1848 p. 157. f. 11 Gila

Californicus (Cer) Nutt. in Torr. & Gr. Fl. (1840) I. 555. = Opuntia? cylind. Calif

Californicus (Ech) Monv. ex S. 27. 149 Calif

Callicoche (Cer) Scheid. Bull. Brux. VI. no. 2. W.A.II. 338 Mex.
Galeotti fide F. 326 = E. myriostigma F. 336. S. 29.

calva (O) Lem. H. Monv. 1838 p. = O. polymorpha H. Angl. fide F. 472
— Cer. Eng. Cat. Gila Calif = [illegible] var polymorpha S. 78

calvescens (Cer) DC. Rev. 1829 p. 116 Pf. 89 W.A.II. 329 Cult. Mex

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

Camanchica (O) E & B. = C. W. 40. t. IX f. 1-5 t. XXI f. 12-15. Red River Country
Syn. 37 W. A. V. 53

Campechianus (Cact) Thierry de Men. nom. ap. DC. Pr. III. 476

Campechianus (Cact) Dict. Sc. Nat. VI. 203 = O. cochinellifera fide Pf. Abb. I. 24

campylacantha (Eps) Pf. & Ott. Abb. t. 4 = not. W. A. II. 325 S. 39. 182 F. 369 Mendoza
= Cer. leucanthus Pfeiff. en. W. A. II. 325 Bot. Mag. 4567

campylacanthus (E) Scheidw. = G. J. 1840. 337 W. A. II. 318 F. 321 Mex?
= macrodiscus Mart. f. S. 28

Candelaber (Cer) Weber mss.

candelabriformis (O) H. Monv. ex Pf. 159 W. A. II. 350 Mex
F. 490 S. 68. 241

candelabrius (Cer) Hort. = C. tenellus Salm fide Pf. 109

candelaris (Cer) Meyen Reise I. p. 447 (1834) A. G. J. 1833. p. 211 Peru
Pf. 89 W. A. II. 329

candicans (Cer) Gillies ex. H. Dyck (1834) p. 335 Pf. 91 Mendoza
W. A. II. 330 F. 376 S. 43 Gay Fl. Chil. III ...
= (Echin) Hort. fide Pf. 91
β. tenuispinus. Pf. 91

candida (M) Scheid. Bull. Brux. V. 496 W. A. II. 297 = sphaerotricha Lem fid. F. 191 & S. 8 Mex

Candollii (Cer) Pfeiffer = V. d. G. B. V. XV. p. 4. (1838) =
= Cer. Peruv. DC Pl. grasses t. 58 non Lin. & aut.

canescens (M) G. A. Jacobi = G. J. 1856 p. 90 ... (nom. cruciger fide J.) Mex

canescens (Cact) Moc & Sess. ined. DC. Pr. III. 459
—— (M) H. Berol [apud DC. Pr. 460 nomen solum] = grandiflora Otto fide Pf. 33.

canescens (M) Hort = discolor Haw fide Pf. 28

cantera (M) Haage nom. ap. F. 254

capricornis (Ech) Dietr. = G. J. 1851. 274 & Poselger = f. G. J. 1853. 107 Rinconada Mex

Caput Medusae (M) Otto .. ex. .. Pf. 22. W. A. II. 287 F. 221 Mex
S. 15. 113.

Caracasana (M) Otto nom. ap. F. 219 S. 14. 107. Caracas

Caracasana (O) S. 67. 238 Caracas

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI BOTANICAL GARDEN

14772

MISSOURI BOT
GEORGE ENGE

Caripensis (Cact, Cer) HBK. n. g. sp. VI. 66 (1823) Kunth synops III. 370. Nov. Andal. Cum.
DC. Pr. III. 467 Pf. 114. w A II. 336

carnea (M) Zucc (in. litt?) ex Pf. 19. Zucc. pl. n. III. 116. Mexico
w. A. II. 287. F. 220 = villifera β. carnea S. 16.

Carnyitta M. Stieb. A B Z. 1852. 166 1853. 97

Cassutha (Rhips) Gaertn. Fruct. I. p. 137. t. 28 f. 1 (1788) Haw. Syn. (1812) 186
DC. Rev. p. 80 DC. Pr. III. 476. Pf. 133.

Cassytha (Rh) β. Hookeriana DC Pr. III. 476. Rev. p. 81. Hook. K. exot. t. 2
γ. Mociniana DC Pr. III. 476 Rev. p. 81 t. 21. Mex
δ. dichotoma DC. Pr. III. 476 Rev. p. 81 Pf. 134 w A II. 343 Nov. Andal.
ε. Mauritiana DC. Pr. III. 476 Rev. p. 81 F. 458 var major H Dyck 1834 p. 371
ζ pendula Salm H. D. 1834 p. 371. S. 60 = R. floccosa Salm f. S Pf. 134

URI BOTANICAL GARDEN
GE ENGELMANN PAPERS

cassytha (Rh) var. pilosiuscula S. H-D. 1834. p. 228 = R. funalis minor fide Pf. 135

Cassytoides (Cact) Moc. & Sess. ined. fide DC Pr. = Rhipsalis Cassytha γ. Mex

castaneaeformis (M) Odier in Cat. Hort. Monv. 1846. = castaneoides f. Lab 37

castaneoides (M) Lem. H. fort. univ. ~~H. Paris~~ Lab. 37 ~~=~~ Wegeneri Ehrenb. f. F. 190 & S. 8

castaneoides (Ceh) Cels Cat. ex S. 32 165 ?

Cataphracta (M) Mart 1832 p. . . . = affinis DC. fide Pf. 11. x S. 15
catapyrtha M. Stieber A B Z. 1852 89

catocantha (O) H Berol. ex. Pf. 166 w A II. 352 F. 498 St Thomas
Cathocantha fide S. 65

caulorhizus (Phyll) Lem Jard. fleur. I. p. 6 Lab. 416. ?

Cavendishii (Cer) Monv. non ap. F. 437 S. 48. 210 ?

Celsiana (M) Lem Cact. g. 1839 p. 41 w A II. 301 F. 207 S. 11. 95 Mx

Celsiana (O) Hort Paris Lab. 496. ?

Celsianus (Piloc) H. Paris / Cat. Cels } S. 40 185 both quoted by S. P. Celsianus Posel. est forma P. senilis Bolivia

centeterius (Echo) Lehm. Bot. Mag. 3974 S. 33. 166. ex Pf. A. I. t. 2. Pf. 65. w A II. 314. F. 295 Mexic

centeterius (Ech) Hort. univ. tab . . . = E. hybocentrus Lehm. fid. Salm. apt. F. 295

centricirrha (M) Lem Cact p. ~~42~~ w A II. 297. F. 230 S. 17. 123 Mx

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

centrispina (M) Pfr. ÷ Otto G. J. 1836. p. 258 Pf. 20 W. A. II. 287 Mex
[= Karwinskiana var. fide F. 224] S. 16. 116

cephalophora Lem. in Mus. Hort. des Plantes Paris (dead specimen)
cephalophora (M) S. F. 252 S. 20. 137 = M. compacta E fide Mex

cephalophorus (Mel) Lem. nov. sp. F. ~~Pf.~~ 279.

Ceratistes (Echo) Otto. ex. Pf. 51. W. A. II. 310 F. 288 Gay Fl. Chil. III p. Chile
Ceratites — S. 34 167
Hort = Kunzii fide S. 167.

ceratocentra (M) Berg ÷ G. J. 1840. 130 W. A. II. 301 = erecta. Sch. fide F. & S.
Mex

ceratophora (M) Lehm. ÷ Otto's G. J. 1835. p. 228 = M. magnimamma Haw fide Pf. 14 & S. 17

cereiformis (Pfeiff) S. ÷ H. D. 1845. p. 41 t. XI W. A. II. 821 S. 61. 231 ?
(Rh). F. 454 Pf. Abb. II. 9

cereiformis (Echo ?) DC. Rev. 1829 p. 115 Pf. 68. W. A. II. 315 Coult Mex

Cereuscula (Rh) Haw. Phil Mag. 1830 p. 109. Pf. 137. W. A. II. 344 Brazil.
= Rh. Saglionis Lem. fide F. 461

chalybaeus (Cer) Otto Mss = polychaetus Reichb. fide W. A. II. 340 ?
Hort Berol. [= F. 382] S. 45. 201

chiastus M. Shel. N. B. J. 1852 89 1853. 97
Chilensis (Cer) Hort = C. fulvibarbis Otto & Dietr. fide W. A. II. 339
= chilensis var

Chiloensis (Cer) Colla pl. rar. hort. ripul. app. 2 p. 342 (1825) fide DC Pr. III. 465 Chili
chilensis Pf. 86. W. A. II. 328 F. 376 S. 44 198 Gay Fl. Chil. III.

Eng. ÷ Bot. U. S. Pacif. Expl. Exp. I. 660
Chiloensis Pfr (Cer) Eng. ÷ Sill. Journ. n. ser. XVII. March 1854 p.

Chinensis (Cact) Roxb. fl. ind. II. p. 476 (1832) an Opuntia
Chionea M. Shel. N. B. J. 1851. 242

Chiotilla (Cer) Weber Mss
chirinole Cer Eng Cact Gabb Calif
Mex
chloranthus (Cactus) Berlandier in Memorias de la Comision Matamoros 1832.
= M. pusilla ?

chloranthus (C) E ÷ C B. 29 t. 37-38. Syn 22 W. A. V. 42 N Mex

chlorocarpus (Cact Cer) HBK. n. g. sp. VI. 67 (1823) Kunth syn. III. 371 Quito
(Cer. DC. Pr. III. 466 Pf. 96. W. A. II. 331

chlorophthalmus (E.) Hook bot. Mag. t. 4373. W. A. II. 682 Mex
[a Cereus very near C. enneacanthus] Real del Monte

chlorotica (O) E. & B. ÷ C W. 38 t. VI f. 1-3. Syn. 35. W. A. V. 49.

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI
BOTANICAL
GARDEN

14773A

MISSOURI B OTA
GEORGE E IGEL

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

chrysantha (M) H. Berol [ap. DC. Pr. 460 nomen solum]

chrysacantha (M) H. Berol ~~———~~ fide Pf. 28. [Otto fide] W. A. II. 289. Mex
[Link & Otto fide Zucc.] pl. n. III. 102. F. 201 S. 12

chrysomallus (Pil) Lem. = Van Houtte Fl. d. Gewchsh. III t. 242. adn. Mex
S. 40. 185. Lab 276 W. A. I. 335

ciliare v. ciliatum (Epiph) Hort = Rh. ramulosa Pf. fide Pf. 130.

cinerascens (Ech) ~~Lem~~ ~~Salm~~ Salm Salm = g. J. 1845. 387 W A III. 816 Chili
——— = S. = S. 26 145 credited to Lemaire Gay Fl. Chil. III p...

cinerascens (Cer) DC. Prev. 1829 p. 116 Pf. 101. H. D. 1834 p. 338. Coult Mex
W. A. II. 332 F. 374 S. 42. 188
β. crassior DC. = Pf. varr. Jacobi = g. J. 1856. 113

Morren, Annales, t. 174
cinnabarinus (E) Hook Bot Mag T 4326. W. A. I. 334 S. 35. 176 Bolivia
(Eps) (Salm = g. J. 1855 p. 338 Lab. 288) [H. ~~Catorcles~~ E!]

cirrifera (M) Mart 1832 p. 334 Pf. 13. 180. Zucc. pl. n. III. 118. W. A. II. 285 Mex.
Pf. & Ott. Abb. I. 7. F. 232 S. 18. 124
——— (M) Hort = angularis var γ. S. 18

cirrhiferus (C) Lab. 311. Mex

cirrosa (M) Belg. g. J. 1857. 95. Mex

citrina (M) Scheidw. F. 518 ?

Bot. Mag. 4358
Clava (M) Pf. = g. J. 1840 p. 282 F. 246. 518 S. 19. 126. Mex

clavarioides (Cer.) Cat. Cact. H. Berol. 1833
——— = (O) H. Berol. ex. Pf. 173. W. A. II. 353 F. 466 S. 72. 247 Chile
Gay Fl. Chil. III

clavata (M) Scheid. Bull. Brux. II. 494 [V. ?] W. A. II. 296. = rhaphidacantha F. 243 S. 19 Mex

clavata (O) Eng Wisl Rep. 1848 note 12 N. Fendl (1849) p. 52 N. Mex
W. A. II. 896. S. 71. 244 E & B = C. W. 48 t. XXII. 1–3 & XXIV. f. 6. Syn. 46

vatus (Cer) Otto F. 391. ad Cer. resupinatum spectans S. 47. 204 Caracas

clavellina O. Eng Cact Gabb Calif

Closiana (M) Roum = Bull. Soc. Bot. Fr. II. 372 City Mexico.

coccinea (O) Hort = Tuna fide Pf. 161

coccineus (C) DC. Prod III. 469 (non Salm) = C. Schlechter f. S. H. D. 1844 p. 65
& F. 419 & S. 52.

coccineus (C) S. Dyck (non DC. Prod. III. 469) Pf. 122. Pf. Abb. I t. 15. ~~Mexico~~
W. A. II. 338 F. 424 S. 53.

URI BOTANICAL GARDEN
GE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI BOTANICAL GARDEN

14773B

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

coccineus (Echinocer) Eng Wisl Rep. 1848 note 9 W.A.II 895 N Mex
(Cer) Eng. Pl. Fendl. (1849) p. 51 S. 42. 190.

coccineus (Echin) H. Berol = Ech. rhodacanthus Salm fid Pf. 50.

coccineus (Ech) Hort = Eps. rhodacantha S. fid. F. 368

coccineus (Cactus) gillies in Hb Kew an Calycanthus (Mendoza)

cochenillifer (Cact) Lin. Spec. ed I. 1753. Cod Lin n. 3587. Hook. Bot. mag. t. 2741. & 2742 Jamaic. Am cal.
coccinellif. (O) Mill Dict. ed. 8. n. 6 - Haw. syn. 192. DC. Pr. III. 473 Rev. p. 68 - Pf. 150 W.A.II. 348.
F. 539 Pf Abb. I. t. 24 Nopalea S. 64

coccinellifera (Cact Op) DC. Pl. grass. t. 137 = O. Tuna fid. Pf. 161
= O. nigricans fid. Pf. 165

Cochenillifera (Cact) Moc & Sess. ibid. = O. Hernandezii fid DC. Pr. 474

coerulans M. Stieb. A. B. Z 1851 281 1853 90

coerulea (O) Gillies . . . = O. sericea Don fid. Pf. 155. S. 72

Coerulescens (Cer) Salm. H. D. (1834) p. 335. Pf 85 W.A.II. 328 F. 381 Brasil
Bot Mag tab. 3922 (S. 45. 200 Pf Abb II. 24)

cognatus (Cer) Hort = variabilis Pfeif fid. F. 402

coindattii (O) [illegible] MSS.

colicachus (Cer) Booth Cat. ≠ Ech. myriostigma fid. F. 336

colubrinus (Cer) Otto F. 409 S. 50. 215 ?

Columbiana (M) S. 14. 99 Columbia

Columna Trajani (Cer) Karw. . . . cx Pf. 76. Zucc. Pl. n. III. 131 Mex
Columna (P.C.) Lem. C. n. g. (1839) p. 9. F. 354 W.A.II. 325 S. 40. 184

columnaris (E) Pf. Abb. II. no 14. in note Gay Fl Chil III p. Chili

columnaris (M) Hort = polythele var setosa S. fide F. 215

columnaris (M) Mart. 1832 p. 330. Pf. 9. Zucc. pl. n. III. 111 Mex
W. R. II. 284
= polythele var. fid S. ap F. 214 & S. 15

columnaris (E) Pf. . Bot. Z. 1847 373 W. A I. 334 Chili
= marginatus S. f. S. 26.

columnaris (Cact) Moc & Sess (fid DC. Prod. III. 459 = M. geminispina) = acanthoplegma fide

Colvillii (Cer) H. Angl nom ap. F. 404 C. variabilis var fid S. 49.

comites (Cer) Schmid. G. Z. 1840 p. 339 W A II. 341 = Pilocer. jubatus Salm F. 356 ?
(Pil.) Mittler. f. F. 357 S. 40

communis (Lep) Pf. in Allg. Z. 1835 p. 314 . . . W A II. 344 = Rh. Mittleri Forst. 415 Brasil
S. 62

Commersonis (Mel) DC. . . Mag. Mel. 138. t. 1. W.A. II. 305 F. 268
S. 21

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

14774A

M SO B
GEORGE EN

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI
BOTANICAL
GARDEN

BOTANICAL GARDEN
ENGELMANN PAPERS

communis (Mel) Lk & Ott. d. inc (1827) p 8 t. XI (= V. d. 9. B. V. f. Pr. III. 417.) Ind. occ. & Amer. aust.
DC. Rev (1829) p. 33 t. 6. DC. Pr. III. 460 ~~DC. Pl. gr. t. 112~~ Pf. 42. Bot. Mag. t. 3090
—— β. ~~β. major~~ macrocephalus H. Berol Pf. 42 var. varr. = Pf. 43.
γ. ~~oblongus~~
δ. [illegible]

Melocactus communis DC. Rev. p. 33. tab. VI.
= Cactus Melocactus ~~L.~~ Linne DC. Plantes grasses pl. 112.
Germination Organogr. tab 48 fig 3.
comprises probably several species (p. 34)

compacta (M) Eng Wisl Rep. 1848 note 32 & Bost. J. N H. 1850 VI. p. 196 Chihuahua
W. A. II. 894 Syn. 10 C. B. t. 74. f. 2 (N. L. [illegible])
—— Hort. = micromeris Muhlg. f. S. 9

compressa (M) DC. Rev (1829) p. 112 = angularis H. Berol. Pf. 12 & S. 18 Coult Mex
—— (Cer) Mill dict. No 10 = C. triangularis fid. Pf. 116.

compressus (Cer) Mill = C. triangularis F. 423

concinnus (Ech) Hook bot. Mag. t. 4115. (1845) excl syn fid. W. A. XI. 813. ?
Monv. (fid F. 299, Icon. Cact. t. 1) Pf. Abb. II. t. 11 S. 32. 164

concinnus (Ech) Lem. = H. Cels. ex G. J. 1843. p. 156 ~~Monv.~~ ~~W.~~ Bot. Mag. t. 4115. Monv. Icon. Cact. t. 1) Pf. Abb. II t. 11. ?
S. 32 164 Chili ?
Buenos Ayres ?

conferta (Rh) S. 60. 229. ?

confertus (Ech) H. Berol. nom. ap. F. 346

confinis (M) Hort. = discolor var. albida f. F. 206

confinis (M) Haage Catal. Cact. 1896 = albida Haage fide Pf. 28. var. of discolor S. F. 206

conformis (Cer) H. Ber. nom. ap. F. 394 S. 47. 203
Mex

conica (M) Haw. suppl (1819) 71 (apud DC. Pr. 460 nomen solum] Pf. 38 ?
W. A. II. 292 haud descr.

conicus (Cer) H. Berol. ex. Pf. 97. W. A. II. 331 Mex.
= euphorbioides Haw fid F. 393 S. 47

coniflora (M) H. Berol nom. ap. F. 254 = discolor var. δ. coniflora S. 11

conoidea (M) DC. Rev. (1829) p. 112 DC. Mem. p. 6. t. 2. Pf. 35. Coulter Mex
W. A. II. 291 F. 252 (S. 13. 104 Pf. Abb. II. t. 26)
= (Ech) Poselg. G. J. 1853. 107

[illegible]deus (C) E & B. in Cat. p. 35 t. IV. f. 4-5 Syn. 28 Wat. V. 45
[illegible]

0 1 2 3 4 5 6 7 8 9 10
cm copyright reserved
MISSOURI
BOTANICAL
GARDEN

14774B

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN